

Prepared for:

Fulton Brewing

2540 2nd Street NE

Minneapolis, MN USA 55418

1662 - A

Batch ID or Lot Number: 1662	Test: Potency	Reported: 17Nov2022	USDA License: N/A
Matrix: Unit	Test ID: T000227813	Started: 15Nov2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 15Nov2022	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.150	0.470	ND	ND	# of Servings = 1, Sample Weight=363.24g
Cannabichromenic Acid (CBCA)	0.138	0.430	ND	ND	
Cannabidiol (CBD)	0.386	1.343	ND	ND	
Cannabidiolic Acid (CBDA)	0.396	1.378	ND	ND	
Cannabidivarin (CBDV)	0.091	0.318	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.165	0.575	ND	ND	
Cannabigerol (CBG)	0.085	0.267	ND	ND	
Cannabigerolic Acid (CBGA)	0.357	1.116	ND	ND	
Cannabinol (CBN)	0.111	0.348	ND	ND	
Cannabinolic Acid (CBNA)	0.244	0.761	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.426	1.329	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.386	1.207	4.370	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.342	1.070	ND	ND	
Tetrahydrocannabivarin (THCV)	0.078	0.243	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.302	0.944	ND	ND	
Total Cannabinoids			4.370	0.00	
Total Potential THC			4.370	0.00	
Total Potential CBD			ND	ND	

Final Approval



Karen Winternheimer
17Nov2022
12:35:00 PM MST

PREPARED BY / DATE



Sam Smith
17Nov2022
12:36:00 PM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/24c931a9-afdb-46ce-9eaa-789cdc0ca640>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
24c931a9afdb46ce9eaa789cdc0ca640.1