

Prepared for:

**Fulton Brewing**

2540 2nd Street NE

Minneapolis, MN USA 55418

**1793-FP-A**

Batch ID or Lot Number: <b>1793-FP-A</b>	Test: <b>Potency</b>	Reported: <b>21Jul2023</b>	USDA License: N/A
Matrix: Unit	Test ID: T000249577	Started: 21Jul2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 20Jul2023	Status: N/A

## Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.155	0.454	ND	ND	# of Servings = 1, Sample Weight=348.87g
Cannabichromenic Acid (CBCA)	0.142	0.416	ND	ND	
Cannabidiol (CBD)	0.536	1.225	ND	ND	
Cannabidiolic Acid (CBDA)	0.549	1.256	ND	ND	
Cannabidivarin (CBDV)	0.127	0.290	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.229	0.524	ND	ND	
Cannabigerol (CBG)	0.088	0.258	ND	ND	
Cannabigerolic Acid (CBGA)	0.368	1.079	ND	ND	
Cannabinol (CBN)	0.115	0.337	ND	ND	
Cannabinolic Acid (CBNA)	0.251	0.736	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.438	1.285	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.398	1.167	3.970	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.353	1.034	ND	ND	
Tetrahydrocannabivarin (THCV)	0.080	0.235	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.311	0.912	ND	ND	
<b>Total Cannabinoids</b>			<b>3.970</b>	<b>0.00</b>	
Total Potential THC			3.970	0.00	
Total Potential CBD			ND	ND	

## Final Approval



Karen Winternheimer  
21Jul2023  
03:49:00 PM MDT

PREPARED BY / DATE



Sam Smith  
21Jul2023  
03:50:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/1d29b4e6-ca87-4445-a67c-47b3d1b83c2f>

### Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa \*(0.877)) and Total CBD = CBD + (CBDA \*(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02

1d29b4e6ca874445a67c47b3d1b83c2f.1